

Delivery Report Summary POWER - C_ABCEX_DRS_POWER_DAILY_2011-07-09



Report frequency : DAILY

Report from: 2011-07-09 to 2011-07-09

Report generated on: 2011-07-09

Page 1/6

| Hour | *Power_50HZ IT Sell 11XABCEX-TEST--X | *Power_50HZ IT Buy 11XABCEX-TEST--X | *Power_50HZ ST Sell 11XABCEX-TEST--X | *Power_50HZ ST Buy 11XABCEX-TEST--X | *POWER_AMP IT Sell 11XABCEX-TEST--X | *POWER_AMP IT Buy 11XABCEX-TEST--X | *POWER_AMP ST Sell 11XABCEX-TEST--X |
|---------------------------|---|--|---|--|--|---|--|
| 1 | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh |
| 2 | 0.00 MWh | 123.0 MWh | -240.0 MWh | 150.0 MWh | 0.00 MWh | 123.0 MWh | -240.0 MWh |
| 3 | 0.00 MWh | 93.0 MWh | -240.0 MWh | 150.0 MWh | 0.00 MWh | 93.0 MWh | -240.0 MWh |
| 4 | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh |
| 5 | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh |
| 6 | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh |
| 7 | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh |
| 8 | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh |
| 9 | - 90.0 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | - 90.0 MWh | 0.00 MWh | -240.0 MWh |
| 10 | - 105.0 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | - 105.0 MWh | 0.00 MWh | -240.0 MWh |
| 11 | - 85.0 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | - 85.0 MWh | 0.00 MWh | -240.0 MWh |
| 12 | 0.00 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | 0.00 MWh | 150.0 MWh | -240.0 MWh |
| 13 | 0.00 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | 0.00 MWh | 150.0 MWh | -240.0 MWh |
| 14 | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh |
| 15 | - 220.0 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | - 220.0 MWh | 0.00 MWh | -240.0 MWh |
| 16 | - 220.0 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | - 220.0 MWh | 0.00 MWh | -240.0 MWh |
| 17 | - 113.0 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | - 113.0 MWh | 0.00 MWh | -240.0 MWh |
| 18 | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh |
| 19 | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh |
| 20 | 0.00 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | 0.00 MWh | 150.0 MWh | -240.0 MWh |
| 21 | 0.00 MWh | 130.0 MWh | -240.0 MWh | 150.0 MWh | 0.00 MWh | 130.0 MWh | -240.0 MWh |
| 22 | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh |
| 23 | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh |
| 24 | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh |
| Total per delivery day | - 833.0 MWh | 796.0 MWh | -5760.0 MWh | 3600.0 MWh | - 833.0 MWh | 796.0 MWh | -5760.0 MWh |

Delivery Report Summary POWER - C_ABCEX_DRS_POWER_DAILY_2011-07-09



Report frequency : DAILY

Report from: 2011-07-09 to 2011-07-09

Report generated on: 2011-07-09

Page 2/6

| Hour | *POWER_AMP ST Buy 11XABCEX-TEST--X | *POWER_APG ST Sell 11XABCEX-TEST--X | *Power_APG ST Buy 11XABCEX-TEST--X | *POWER_ELEX FE Sell ABCEX P | *POWER_ELEX FE Buy ABCEX C | *POWER_ELIA FE Sell ABCEX-TEST | *POWER_ELIA FE Buy ABCEX-TEST |
|---------------------------|---|--|---|--------------------------------------|-------------------------------------|---|--|
| 1 | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | -1130.0 MWh | 380.0 MWh |
| 2 | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh | 380.0 MWh | -1130.0MWh | 380.0 MWh |
| 3 | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | -1130.0 MWh | 380.0 MWh |
| 4 | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh | 380.0 MWh | -1130.0MWh | 380.0 MWh |
| 5 | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | -1130.0 MWh | 380.0 MWh |
| 6 | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh | 380.0 MWh | -1130.0MWh | 380.0 MWh |
| 7 | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | -1130.0 MWh | 380.0 MWh |
| 8 | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh | 380.0 MWh | -1130.0MWh | 380.0 MWh |
| 9 | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | -1130.0 MWh | 380.0 MWh |
| 10 | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh | 380.0 MWh | -1130.0MWh | 380.0 MWh |
| 11 | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | -1130.0 MWh | 380.0 MWh |
| 12 | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh | 380.0 MWh | -1130.0MWh | 380.0 MWh |
| 13 | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | -1130.0 MWh | 380.0 MWh |
| 14 | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh | 380.0 MWh | -1130.0MWh | 380.0 MWh |
| 15 | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | -1130.0 MWh | 380.0 MWh |
| 16 | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh | 380.0 MWh | -1130.0MWh | 380.0 MWh |
| 17 | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | -1130.0 MWh | 380.0 MWh |
| 18 | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh | 380.0 MWh | -1130.0MWh | 380.0 MWh |
| 19 | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | -1130.0 MWh | 380.0 MWh |
| 20 | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh | 380.0 MWh | -1130.0MWh | 380.0 MWh |
| 21 | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | -1130.0 MWh | 380.0 MWh |
| 22 | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh | 380.0 MWh | -1130.0MWh | 380.0 MWh |
| 23 | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | -1130.0 MWh | 380.0 MWh |
| 24 | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh | 380.0 MWh | -1130.0MWh | 380.0 MWh |
| Total per delivery day | 3600.0 MWh | -5760.0 MWh | 3600.0 MWh | - 27120 MWh | 9120.0 MWh | - 27120 MWh | 9120.0 MWh |

Delivery Report Summary POWER - C_ABCEX_DRS_POWER_DAILY_2011-07-09



Report frequency : DAILY

Report from: 2011-07-09 to 2011-07-09

Report generated on: 2011-07-09

Page 3/6

| Hour | *POWER_EnBW IT Sell 11XABCEX-TEST--X | *POWER_EnBW IT Buy 11XABCEX-TEST--X | *POWER_EnBW ST Sell 11XABCEX-TEST--X | *POWER_EnBW ST Buy 11XABCEX-TEST--X | *POWER_MVR ST Sell TEST_ABCEX_MVR | *POWER_MVR ST Buy TEST_ABCEX_MVR | *POWER_MVR FE Sell TEST_ABCEX_MVR |
|---------------------------|---|--|---|--|--|---|--|
| 1 | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh |
| 2 | 0.00 MWh | 123.0 MWh | -240.0 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh |
| 3 | 0.00 MWh | 93.0 MWh | -240.0 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh |
| 4 | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh |
| 5 | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh |
| 6 | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh |
| 7 | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh |
| 8 | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh |
| 9 | - 90.0 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh |
| 10 | - 105.0 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh |
| 11 | - 85.0 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh |
| 12 | 0.00 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh |
| 13 | 0.00 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh |
| 14 | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh |
| 15 | - 220.0 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh |
| 16 | - 220.0 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh |
| 17 | - 113.0 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh |
| 18 | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh |
| 19 | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh |
| 20 | 0.00 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh |
| 21 | 0.00 MWh | 130.0 MWh | -240.0 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh |
| 22 | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh |
| 23 | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh |
| 24 | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh |
| Total per delivery day | - 833.0 MWh | 796.0 MWh | -5760.0 MWh | 3600.0 MWh | -5760.0 MWh | 3600.0 MWh | - 27120 MWh |

Delivery Report Summary POWER - C_ABCEX_DRS_POWER_DAILY_2011-07-09



Report frequency : DAILY

Report from: 2011-07-09 to 2011-07-09

Report generated on: 2011-07-09

Page 4/6

| Hour | *Power_MVR FE Buy TEST_ABCEX_MVR | *POWER RTE IT Sell 1234 | *POWER RTE IT Buy 1234 | *POWER RTE ST Sell 1234 | *POWER RTE ST Buy 1234 | *POWER RTE FE Sell 1234 | *POWER RTE FE Buy 1234 |
|---------------------------|---|----------------------------------|---------------------------------|----------------------------------|---------------------------------|----------------------------------|---------------------------------|
| 1 | 380.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh |
| 2 | 380.0 MWh | 0.00 MWh | 123.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh | 380.0 MWh |
| 3 | 380.0 MWh | 0.00 MWh | 93.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh |
| 4 | 380.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh | 380.0 MWh |
| 5 | 380.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh |
| 6 | 380.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh | 380.0 MWh |
| 7 | 380.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh |
| 8 | 380.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh | 380.0 MWh |
| 9 | 380.0 MWh | - 90.0 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh |
| 10 | 380.0 MWh | - 105.0 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh | 380.0 MWh |
| 11 | 380.0 MWh | - 85.0 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh |
| 12 | 380.0 MWh | 0.00 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh | 380.0 MWh |
| 13 | 380.0 MWh | 0.00 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh |
| 14 | 380.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh | 380.0 MWh |
| 15 | 380.0 MWh | - 220.0 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh |
| 16 | 380.0 MWh | - 220.0 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh | 380.0 MWh |
| 17 | 380.0 MWh | - 113.0 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh |
| 18 | 380.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh | 380.0 MWh |
| 19 | 380.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh |
| 20 | 380.0 MWh | 0.00 MWh | 150.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh | 380.0 MWh |
| 21 | 380.0 MWh | 0.00 MWh | 130.0 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh |
| 22 | 380.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh | 380.0 MWh |
| 23 | 380.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh |
| 24 | 380.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh | 150.0 MWh | -1130.0MWh | 380.0 MWh |
| Total per delivery day | 9120.0 MWh | - 833.0 MWh | 796.0 MWh | -5760.0 MWh | 3600.0 MWh | - 27120 MWh | 9120.0 MWh |

Delivery Report Summary POWER - C_ABCEX_DRS_POWER_DAILY_2011-07-09



Report frequency : DAILY

Report from: 2011-07-09 to 2011-07-09

Report generated on: 2011-07-09

Page 5/6

| Hour | *POWER_SGD ST Sell 11XABCEX-TEST--X | *POWER_SGD ST Buy 11XABCEX-TEST--X | *POWER_TNT FE Sell 9876543210123 | *POWER_TNT FE Buy 9876543210123 | *POWER_TNTG IT Sell 11XABCEX-TEST--X | *POWER_TNTG IT Buy 11XABCEX-TEST--X | *POWER_TNTG ST Sell 11XABCEX-TEST--X |
|---------------------------|--|---|---|--|---|--|---|
| 1 | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh |
| 2 | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | 0.00 MWh | 123.0 MWh | -240.0 MWh |
| 3 | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | 0.00 MWh | 93.0 MWh | -240.0 MWh |
| 4 | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh |
| 5 | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh |
| 6 | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh |
| 7 | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh |
| 8 | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh |
| 9 | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | - 90.0 MWh | 0.00 MWh | -240.0 MWh |
| 10 | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | - 105.0 MWh | 0.00 MWh | -240.0 MWh |
| 11 | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | - 85.0 MWh | 0.00 MWh | -240.0 MWh |
| 12 | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | 0.00 MWh | 150.0 MWh | -240.0 MWh |
| 13 | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | 0.00 MWh | 150.0 MWh | -240.0 MWh |
| 14 | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh |
| 15 | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | - 220.0 MWh | 0.00 MWh | -240.0 MWh |
| 16 | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | - 220.0 MWh | 0.00 MWh | -240.0 MWh |
| 17 | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | - 113.0 MWh | 0.00 MWh | -240.0 MWh |
| 18 | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh |
| 19 | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh |
| 20 | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | 0.00 MWh | 150.0 MWh | -240.0 MWh |
| 21 | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | 0.00 MWh | 130.0 MWh | -240.0 MWh |
| 22 | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh |
| 23 | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh |
| 24 | -240.0 MWh | 150.0 MWh | -1130.0 MWh | 380.0 MWh | 0.00 MWh | 0.00 MWh | -240.0 MWh |
| Total per delivery day | -5760.0 MWh | 3600.0 MWh | - 27120 MWh | 9120.0 MWh | - 833.0 MWh | 796.0 MWh | -5760.0 MWh |

Delivery Report Summary POWER - C_ABCEX_DRS_POWER_DAILY_2011-07-09

Report frequency : DAILY

Report from: 2011-07-09 to 2011-07-09

Report generated on: 2011-07-09

Page 6/6



| Hour | *POWER_TNTG ST Buy 11XABCEX-TEST--X |
|---------------------------|--|
| 1 | 150.0 MWh |
| 2 | 150.0 MWh |
| 3 | 150.0 MWh |
| 4 | 150.0 MWh |
| 5 | 150.0 MWh |
| 6 | 150.0 MWh |
| 7 | 150.0 MWh |
| 8 | 150.0 MWh |
| 9 | 150.0 MWh |
| 10 | 150.0 MWh |
| 11 | 150.0 MWh |
| 12 | 150.0 MWh |
| 13 | 150.0 MWh |
| 14 | 150.0 MWh |
| 15 | 150.0 MWh |
| 16 | 150.0 MWh |
| 17 | 150.0 MWh |
| 18 | 150.0 MWh |
| 19 | 150.0 MWh |
| 20 | 150.0 MWh |
| 21 | 150.0 MWh |
| 22 | 150.0 MWh |
| 23 | 150.0 MWh |
| 24 | 150.0 MWh |
| Total per delivery day | 3600.0 MWh |